




SCHEDULE OF ROOM FINISHES									
LEGEND									
FLOOR	MATERIAL	MARK	BASE	MATERIAL	MARK	WALL	MATERIAL	MARK	CEILING
10	CONCRETE EXISTING	20	FLEXIBLE COVE	30	PLASTER	40	2"X4" LAY IN ROUGH	40	EXISTING PLASTER
11	CERAMIC MOSAIC TILE	21	CERAMIC MOSAIC TILE	31	CERAMIC TILE	41	EXISTING PLASTER	41	EXISTING PLASTER
12	VINYL ASBESTOS TILE	22	WOOD NEW MATCH EXIST.	32	WOOD NEW MATCH EXIST.	42	EXISTING PLASTER	42	EXISTING PLASTER
13		23	EXISTING WOOD	33	EXISTING PLASTER	43	EXISTING PLASTER	43	EXISTING PLASTER
14		24		34	EXISTING GYPSUM BOARD	44	EXISTING PLASTER	44	EXISTING PLASTER
15		25		35	EXISTING GYPSUM BOARD	45	EXISTING PLASTER	45	EXISTING PLASTER
16		26		36	EXISTING GYPSUM BOARD	46	EXISTING PLASTER	46	EXISTING PLASTER

ROOM FINISH SCHEDULE							
ROOM NUMBER	ROOM NAME	FLOOR	BASE	WAINSCOT MATERIAL	WALLS	CEILING MATERIAL	REMARKS
1	DORMITORY	12	20		30-33-32	40	32" LOW PARTITIONS ONLY
2	CORRIDOR	12	20-23		30-33-34	40	EXISTING WOOD BASE AT STAIR WALL
3	OFFICER'S BDRM.	12	20		30-33	41	
4	OFFICER'S BDRM.	12	20		30-33	41	
5	TOILET	12	20		30-33	41	
6	TOILET	12	20		30-33	41	
7	CLOSET	12	20		30-33	41	
8	CLOSET	12	20		30-33	41	
9	LOCKER ROOM	12	23		33	41	
10	PASSAGE	12	20		30-32-33	41	
11	ENTRY	12	20		33	41	
12	TOILET	12	20		30-33	41	
13	SHOWER RM.	11	21	31	7'-0"	41	OUTSIDE OF SHOWER STALL SET FLOOR, TILE AND BASE IN ENTRY LOCKER
14	ENTRY	12	20		33	41	
15	JANITORS CLOS.	10	20-23		32-33	41	NEW BASE ON NEW WALL ONLY
16	PASSAGE	12	20		30-32-33	41	
17	LOCKER ROOM	12	23		33	41	
18	OFFICER'S BDRM.	12	20		30-33	41	
19	CORRIDOR	12	20-23		30-33-34	40	COVE BASE ON NEW WALL ONLY
20	TOILET	12	20		30-33	41	
21	TOILET	12	20		30-33	41	
22	DEPUTY CHIEF'S BDRM.	12	20		30-33	41	
23	DORMITORY	12	22		30-33	41	COVE BASE ON WEST WALL ONLY
24	READING ROOM	12	22		30-33	41	" " " "
25	DORMITORY	12	22		30-33	41	" " " "
26	CLOSET	12	20		30-33	41	
27	CLOSET	12	20		30-33	41	
28	WASH ROOM	12	20		30-33	41	

NOTE: REMOVE EXISTING WOOD BASE WHERE NEW BASE IS CALLED FOR. PATCH PLASTER WALLS TO MATCH EXISTING. ALL ROOMS 11 THRU 28 INCLUDING BOTH STAIRCASES SHALL BE PAINTED EXCEPT NEW ACUSTIC TILE CEILING. ROOMS 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28 TO RECEIVE PLASTIC TYPE PAINT FINISH.

LEGEND SHOWN THIS: ① THRU ⑩ INDICATES EXISTING DOOR TO BE RELOCATED TO NEW LOCATION. ⑪ THRU ⑩ INDICATES EXISTING DOOR TO BE RELOCATED TO NEW LOCATION.

DOOR TYPE - NEW DOORS ARE INDICATED BY LETTER A-B, RELOCATED DOORS BY NR 1, 2, ETC. TYPE OF JAMB IS INDICATED BY SMALL CASE OF A LETTER. TYPE OF HARDWARE IS INDICATED BY NS, 1, 2 OR 3, X MEANS EXISTING HARDWARE TO BE USED.

DOOR (A) "B" LABEL - ALL HARDWARE MUST BEAR UNDERWRITER'S LABEL 3/4 HOUR FIRE RESISTANCE. DOOR SIZE - 3'-0" X 7'-0" X 1 1/2" SOLID CORE FLUSH WOOD DOOR WITH WOOD FRAME. DOOR CLOSER - "3041" "CECO CORP." COMPLETE WITH ALL ATTACHMENTS AND REINFORCING. DOOR BUTTS - 1 1/2" PAIR 4 1/2" X 4" X 1 3/4" THICK BALL BEARING. PUSH AND PULL BARS "CECO CORP." #5010. FLOOR DOOR BUMPER - #4064 "CECO CORP." SEE JAMB "A" DETAIL ON THIS SHEET.

DOOR (B) "B" LABEL - ALL HARDWARE MUST BEAR UNDERWRITER'S LABEL 3/4 HOUR FIRE RESISTANCE. DOOR SIZE - 2'-8" X 7'-0" X 1 1/2" SOLID CORE FLUSH WOOD DOOR WITH WOOD FRAME. DOOR CLOSER - "3041" "CECO CORP." COMPLETE WITH ALL ATTACHMENTS AND REINFORCING. DOOR BUTTS - 1 1/2" PAIR 4 1/2" X 4" X 1 3/4" THICK BALL BEARING. DOOR LOCKSET - #346 "CECO CORP." - U.S. GOV. N° 160-B. FLOOR DOOR BUMPER - #4064 "CECO CORP." OMIT DOOR CLOSER, ROOMS: 3, 4, 18, 22. SEE JAMB "B" DETAIL ON SHEET A-2.


NEW DOOR CLOSER FOR EXISTING DOOR - #3041 "CECO CORP." SEE TYPICAL ELEVATION OF THE EXISTING RELOCATED DOOR AND FRAME ON SHEET A-2.

NOTE: ALL "CECO PRODUCTS" MAY BE SUBSTITUTED WITH OTHER MANUFACTURER PRODUCT OF EQUAL OR BETTER QUALITY AND PERFORMANCE APPROVED BY THE ENGINEER.

GENERAL NOTES

CONTRACTOR SHALL VISIT SITE TO FAMILIARIZE HIMSELF WITH THE EXISTING CONDITION OF THE SUBJECT STRUCTURE. HE SHALL VERIFY FIELD CONDITIONS AND COMPARE IT WITH THE CONTRACT DOCUMENTS AND INCLUDING OF CHECKING ALL PERTINENT BUILDING DIMENSIONS. IN THE CONTRACT DOCUMENTS, HE SHALL NOTIFY THE ENGINEER OF ANY AND ALL DISCREPANCIES BEFORE STARTING ANY WORK. CONTRACTOR SHALL BE RESPONSIBLE NOT TO WEAKEN AT ANY ONE TIME ANY STRUCTURAL MEMBER OR SYSTEM OF A BUILDING DURING NEW CONSTRUCTION, IF IN DOUBT HE SHALL CONTACT THE ENGINEER. CONTRACTOR SHALL DO ALL CUTTING AND PATCHING SO THAT NEW WORK WILL MATCH EXISTING FINISH. ALL EXISTING DOORS AND DOOR FRAMES SHALL BE REMOVED WITH CARE AND REUSED OR RELOCATED ON DRAWINGS. REUSED DOORS AND FRAMES MUST BE INSTALLED CORRECTLY WITH NECESSARY ADJUSTMENTS IF REQUIRED INCLUDING THE HARDWARE AND DOOR AND FRAME FINISH. ALL LOCKERS AND BENCHES WILL BE FURNISHED AND INSTALLED BY THE CITY.

CITY OF HARTFORD, CONNECTICUT			
DEPARTMENT OF ENGINEERING			
ALTERATIONS TO SECOND FLOOR			
OF ENGINE HOUSE NO. 2			
1515 MAIN STREET			
HARTFORD, CONNECTICUT			
SUBMITTED	RECOMMENDED	APPROVED	
<i>John Smith</i>	<i>David A. Sullivan</i>	<i>William H. Sullivan</i>	
CITY ARCHITECT	CITY ENGINEER		
DESIGN	DRAWN	DAYBOOK NO.	010007
CHECK	DATE	MARCH 1, 1968	



EXISTING TOILET PLAN ON FIRST FLOOR - 1/4\"/>

SECOND FLOOR PLAN SCALE 1/4\"/>

DETAIL D-4 TYPICAL SCALE 1/2\"/>

DETAIL D-5 TYPICAL SCALE 1/2\"/>