

GRANITE CURBING

PROVIDE  $\frac{1}{2}$ " SPACE  
BETWEEN GRANITE  
CURBING AND CATCH  
BASIN BACK

GRANITE CURBING

GRATING CAST IRON. SEE PLAN  
SERIAL NO. 10367, DR. 63-  
SH. 157

PLAN

CURB LINE

CENTER LINE OF THE  
CATCH BASIN

PLAN SECTION

6" x 6" x  $\frac{1}{2}$ " CAST IRON  
HOOK SET INTO BRICK-  
WORK.

"HARTFORD" CATCH BASIN  
FRAME. SEE PLAN  
SERIAL NO. 11758, DR. 63-  
SH. 116A.

10" TILE

CAST IRON CATCH BASIN  
TRAP LARAGY FOUNDRY  
No 102 OR EQUAL  
(MAY BE OMITTED BY  
PERMISSION OF THE  
ENGINEER WHERE CATCH  
BASIN IS CONNECTED  
TO A STORM DRAIN)

3" TILE CURB DRAIN  
(MAY BE OMITTED BY  
PERMISSION OF  
THE ENGINEER)

PLASTER OUTSIDE  
BRICK CATCH BASIN  
WITH  $\frac{1}{4}$ " (MIN) MORTAR

CLASS A CONCRETE

CONCRETE OR BRICK MASON-  
RY TO UNDISTURBED EARTH  
AND 1' WIDER THAN THE OUT-  
SIDE DIAMETER OF PIPE

CROSS-SECTION

STANDARD CATCH BASIN DETAILS

SCALE: 1" = 4'