



LIGHT POLE FOUNDATION



TYPICAL ALUMINUM POLE
WITH SINGLE ARM BRACKET



TYPICAL ALUMINUM POLE
WITH TRUSS ARM BRACKET

POLE TYPE	SHAFT SIZE				ANCHOR BASE			BRACKET		
	LENGTH	BOTTOM DIA.	TOP DIA.	GAGE	"Q"	"BC"	"E"	SIZE	LENGTH	LUMINAIRE MOUNTING HEIGHT
ALUMINUM SINGLE ARM	28'	8"	4 1/2"	0.188	8 1/2"	12"	12"	3 1/2" X 2 3/8"	6'	30'
ALUMINUM TRUSS ARM	27'	8"	5 1/2"	0.188	8 1/2"	12"	12"	3 1/2" X 2 3/8"	12'	30'
STEEL SPAN POLE WITH SINGLE ARM	*	*	*	*	*	*	*	*	*	*

* DIMENSIONS VARY DEPENDING ON AVAILABILITY OF SPAN POLES AT THE CITY YARD. THE CONTRACTOR MUST VERIFY BOLTING PATTERN AND PROVIDE TEMPLATE FOR CONSTRUCTION OF THE FOUNDATION.

CITY OF HARTFORD, CONNECTICUT
DEPARTMENT OF PUBLIC WORKS
TRANSPORTATION SERVICES BUREAU

STANDARD DETAILS
FOR
TYPICAL POLES AND FOUNDATIONS

SUBMITTED PROJECT ENGINEER <i>[Signature]</i>	RECOMMENDED MANAGER <i>[Signature]</i>	APPROVED CITY ENGINEER <i>[Signature]</i>
DRAWN LAL	SCALE: NONE	DAYBOOK NO. 0113270 DATE DECEMBER 2, 1993 FILE NAME asyfm12.dwg